

Lakewood City Schools Community Recreation and Education Department

Child Information Form

KIDS CONNECTION

Children will NOT be accepted at camp without a completed CHILD INFORMATION FORM on file.

PARTICIPAL	NT INFORMATION (PLEASE PRINT)			
NAME					SEX: M F
ADDRESS:					
•	House #	Street		City	Zip
HOME PHO	NE NUMBER:				
				RENT	2011201
BIRTHDATE	:	AGE:	GRA	\DE:	SCHOOL:
Please circle	e which week(s) your	child will attend:			
Week 1	Week 2	Week 3	Week 4	Week 5	
Week 6	Week 7	Week 8	Week 9	Week 10	
	CY PHONE NUMBER	s	Fathe	r/Guardian Name:	
Mother/Gua	ırdian Cell/Pager:			r/Guardian Cell/Pag	jer:
Mother/Gua	ırdian Work:		Fathe	r/Guardian Work:	
emergency of parent/guard		/guardian cannot b person listed must	e reached. Perso	ons listed should be a	ted in the event of an able to assist in locating the hild in cases where the
Name:			Name	:	
City, State, 2	Zip Code:		City, S	State, Zip Code:	
Telephone N	lumber:		Teleph	none Number:	
Relationship	to Child:		Relatio	onship to Child:	

Please continue on next page

SECTION 2: CHILD'S MEDICAL INFORMATION

Physician Phone:

Name of Physician/Clinic Hospital:

Name of Dentist:	Dentist Phone:	
Hospitalization Insurance:		
Name and dosage of any medication taken on a regular basis*:		
*Please complete separate permission to administ Kids Conne Allergies (food, medication, & environmental) and precautions, reac	ection hours.	ed during
Medications, food supplements, modified diet currently being admin	nistered:	
Please note any special needs your child has or services he/she rec		.)
Chronic Physical Problems:		
Any additional health or enrollment information you feel we should k	know about your child:	
SECTION 3: EMERGE I give the Lakewood Board of Education, Lakewood Community Re transported to (Hospital or Clinic) for emergency medical care or to available source of assistance. YES		
I hereby authorize the Lakewood Community Recreation and Eduindividuals listed in Section 1: Emergency Contacts and to the follor photo identification will be requested for verification purposes.	wing individuals. In addition, I understand that for safety	•
Name:	Name:	
Relationship:	Relationship: Telephone Number:	
Telephone Number: Denial of Authorization for Release	relephone Number.	
Name:	Name:	
Relationship:	Relationship:	
I HEREBY authorize the Lakewood Community Recreation and Connection activities including but not limited to field trips, swimming		e in all Kids
I HEREBY acknowledge that I am responsible for understanding the Department Kids Connection Parent Handbook as they relate to my all procedures, policies, and conditions contained in the Parent termination of my child's participation in the program. Copies of the online at www.lakewoodrecreation.com.	y child's enrollment in the program. I HEREBY agree to Handbook, and I understand that my failure do so n	comply with may result in
By registering for any Lakewood Community Recreation and Education Schools Community Recreation and Education Department Progravailable at the Lakewood Community Recreation and Education E at www.lakewoodrecreation.com.	ram Registration Wavier & Consent Policy. A copy of	the policy is
PARENT/GUARDIAN SIGNATURE	Date	,



PARENT REQUEST AND AUTHORIZATION TO ADMINISTER A PRESCRIBED AND NON-PRESCRIBED MEDICATION/DRUG OR TREATMENT

To the Parent:

Nam	ne of Student	Address		
Sch	ool	Grade		
A.	I am requesting permission for my chil	d named above to: (Check all that apply)		
	use or receive prescribed	I medication		
	use or receive non-prescribed (over-the-counter) medication * Any non-prescription drug requires only a parent signature.			
	Medication:			
		Time to be administered:		
	receive prescribed treatm			
	•	d medication(s) in my presence or that of an authorized		
	in accordance with the authorized pres	scription.		
B.	medication/drug must be received by	afe delivery of the medication/drug to school. (The the District (i.e., the person authorized to administer the in which it was dispensed by the prescriber or a licensed		
C.	I will notify the school immediately if there is any change in the use of the medication/drug or the prescribed treatment. (You must submit to the District a revised licensed prescriber's statement signed by the prescriber, if any of the information contained in the statement changes.)			
D.		of Education, its officials, and its employees harmless from inforeseeable for damages or injury resulting directly or		
Sign	nature of Parent*	Date		
Hom	ne Telephone	Work Telephone		

^{*}Parent, guardian, or other person having care or charge of the student.



LICENSED PRESCRIBER'S STATEMENT

To the Prescriber:

TO the Frescriber.		
The School District requires that all of the following informedication or treatment to the student.	rmation be provided before it will administer	
Name of Student	Address	
School	Class/Grade	
I am a licensed health professional authorized to prescrib medication to the above named student (specify the name	of the drug)	
Date the administration of the drug is to begin		
Date the administration of the drug is to cease		
Specify the dosage of the drug to be administered, and the drug is to be administered		
Specify any special instructions for administration of the o	drug, including sterile conditions and storage	
Report the following side effects (i.e., severe adverse reac	tions) to my office immediately	
Prescriber's Signature	Telephone	
Printed/Typed Name Date		
<u>AUTHORIZATION FO</u>	R STAFF	
The following staff members are authorized medication(s)/treatment(s):	to administer the above-prescribed	
_		



Asthma Action Plan for Home & School

Name:	Birthdate:				
Asthma Severity: □ Intermittent □ Mild Persistent □ Mode □ He/she has had many or severe asthma atta					
Green Zone Have the child take these medicines every of	day, even when the child feels well.				
Always use a spacer with inhalers as directed. Controller Medicine(s):					
Controller Medicine(s) Given in School: Rescue Medicine: Albuterol/Levalbuterol puffs e Exercise Medicine: Albuterol/Levalbuterol puffs	every four hours as needed				
Yellow Zone Begin the sick treatment plan if the child has child take all of these medicines when sick.	s a cough, wheeze, shortness of breath, or tight chest. Have the				
Rescue Medicine: Albuterol/Levalbuterol puffs e Controller Medicine(s): Continue Green Zone medicines: Add:					
☐ Change:	Change: If the child is in the yellow zone more than 24 hours or is getting worse, follow red zone and call the doctor right away!				
Red Zone If breathing is hard and fast, ribs sticking ou Get He	ut, trouble walking, talking, or sleeping. Elp Now				
Take rescue medicine(s) now Rescue Medicine: Albuterol/Levalbuterol puffs every Take:					
If the child is not better right away, call 911 Please call the doctor any time the child is in the red zone.					
Asthma Triggers: (List)					
School Staff: Follow the Yellow and Red Zone plans for rescue medicines according to asthma symptoms. Unless otherwise noted, the only controllers to be administered in school are those listed as "given in school" in the green zone.					
☐ Both the asthma provider and the parent feel that the child may carry and self-administer their inhalers ☐ School nurse agrees with student self-administering the inhalers					
Asthma Provider Printed Name and Contact Information:	Asthma Provider Signature:				
Parent/Guardian: I give written authorization for the medications listed in the action plan to be administered in school by the nurse or other school members as appropriate. I consent to communication between the prescribing health care provider/clinic, the school nurse, the school medical advisor and school-based health clinic providers necessary for asthma management and administration of this medication.					
Parent/guardian signature: School Nurse Reviewed:					
Date:	Date:				



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

Name:	D.O.B.:	PLACE
Allergic to:		PICTURE HERE
Weight:Ibs. Asthma: ☐ Yes (higher risk for a severe read	ction) 🗆 No	
NOTE: Do not depend on antihistamines or inhalers (bronchodilator	rs) to treat a severe reaction. USE EPINEPHRI	NE.
Extremely reactive to the following allergens:		
THEREFORE:		
☐ If checked, give epinephrine immediately if the allergen was LIKELY eat☐ If checked, give epinephrine immediately if the allergen was DEFINITELY	, ,	ıt.
FOR ANY OF THE FOLLOWING: SEVERE SYMPTOMS	MILD SYMPTOI	MS
LUNG Shortness of breath, wheezing, repetitive cough SKIN Many hives over body, widespread redness 1. INJECT EPINEPHRINE IMMEDIATELY. HEART Pale or bluish skin, faintness, weak pulse, dizziness THROAT Tight or hoarse throat, trouble breathing or swallowing NOTHER Feeling something bad is about to happen, anxiety, confusion 1. INJECT EPINEPHRINE IMMEDIATELY.	NOSE Itchy or runny nose, sneezing FOR MILD SYMPTOMS FROM MOR SYSTEM AREA, GIVE EPINEP FOR MILD SYMPTOMS FROM A SIN AREA, FOLLOW THE DIRECTION 1. Antihistamines may be given, if order healthcare provider. 2. Stay with the person; alert emergen 3. Watch closely for changes. If symptogive epinephrine.	nausea or discomfort RE THAN ONE PHRINE. IGLE SYSTEM IS BELOW: ered by a acy contacts.
2. Call 911. Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.	MEDICATIONS/DO Epinephrine Brand or Generic:	SES
 Consider giving additional medications following epinephrine: » Antihistamine » Inhaler (bronchodilator) if wheezing 	Epinephrine Dose: 0.1 mg IM 0.15 mg	IM
Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.	Antihistamine Brand or Generic:	
 If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose. Alert emergency contacts. Transport patient to ER, even if symptoms resolve. Patient should 	Antihistamine Dose: Other (e.g., inhaler-bronchodilator if wheezing): _	

remain in ER for at least 4 hours because symptoms may return.



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- 1. Remove Auvi-Q from the outer case. Pull off red safety guard.
- 2. Place black end of Auvi-Q against the middle of the outer thigh.
- 3. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- 4. Call 911 and get emergency medical help right away.



HOW TO USE EPIPEN®, EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN

- 1. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, remove the blue safety release by pulling straight up.
- 3. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 4. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.



HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, AMNEAL PHARMACEUTICALS

- 1. Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip. Grasp the auto-injector in your fist with the red tip pointing downward.
- 3. Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 4. Remove and massage the area for 10 seconds. Call 911 and get emergency medical help right away.

HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- 1. Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, pull off the blue safety release.
- Place the orange tip against the middle of the outer thigh at a right angle to the thigh.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 5. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.

5

HOW TO USE SYMJEPI™ (EPINEPHRINE INJECTION, USP)

- 1. When ready to inject, pull off cap to expose needle. Do not put finger on top of the device.
- 2. Hold SYMJEPI by finger grips only and slowly insert the needle into the thigh. SYMJEPI can be injected through clothing if necessary.
- 3. After needle is in thigh, push the plunger all the way down until it clicks and hold for 2 seconds.
- 4. Remove the syringe and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.
- 5. Once the injection has been administered, using one hand with fingers behind the needle slide safety guard over needle.

2

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALL 911		OTHER EMERGENCY CONTACTS		
RESCUE SQUAD:		NAME/RELATIONSHIP:	PHONE:	
DOCTOR:	PHONE:	NAME/RELATIONSHIP:	PHONE:	
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	PHONE:	